




MATTRESS PURCHASE CATALOG



WWW.CLICKDME.COM

CUSTOMER SERVICE 888.233.7677


DRIVE MEDICAL

THERAPEUTIC 5 ZONE




- HIGH QUALITY LATEX FREE THERAPEUTIC FOAM MATTRESS PROVIDES PRESSURE REDISTRIBUTION AND SHEAR/FRICTION REDUCTION
- DELUXE HORIZONTAL, CROSS-CUT FOAM MATTRESS PROVIDES COMFORT, SUPPORT, AND PRESSURE REDISTRIBUTION OVER 5 THERAPEUTIC PRESSURE ZONES
- BETTER COMPLIANCE AND DURABILITY THAN INNERSPRING MATTRESSES ALLOWS FOR IMPROVED PATIENT SATISFACTION AND FEWER SERVICE CALLS
- NON SKID BOTTOM KEEPS MATTRESS SAFELY IN PLACE
- REMOVABLE NYLON COVER IS FLUID RESISTANT, LOW SHEAR AND VAPOR PERMEABLE HELPING PROTECT THE SKIN FROM FRICTION AND MOISTURE
- MEETS FLAMMABILITY STANDARD CFR 1632 AND CFR 1633
- 350LB CAPACITY
- 3 YEAR WARRANTY - MATTRESS, 1 YEAR WARRANTY - COVER

GRAVITY 7



- HIGH QUALITY THERAPEUTIC FOAM MATTRESS PROVIDES PRESSURE REDISTRIBUTION AND SHEAR/FRICTION REDUCTION
- DRIVE'S MOST POPULAR THERAPEUTIC FOAM MATTRESS MAXIMIZES VALUE AND COMFORT WITH 3 FULL LAYERS OF LATEX FREE FOAM
- FULL WIDTH TOP LAYER USES UNIQUE DIE-CUTTING TO OPTIMIZE ZONED PRESSURE REDISTRIBUTION
- BOTTOM LAYER PROVIDES FULL LENGTH HORIZONTALLY SCORED ARTICULATION CUTS EXTENDING THE DURABILITY AND LIFE OF THE MATTRESS
- HIGH DENSITY FOAM PERIMETERS PROVIDE SOLID EDGE SUPPORT AND FACILITATE SAFE PATIENT TRANSFERS
- AVAILABLE WITH OR WITHOUT RAISED SIDE RAILS
- VISCO FOAM HEEL SECTION OFFLOADS PRESSURE FROM VULNERABLE HEELS
- REMOVABLE MULTI-STRETCH COVER IS FLUID RESISTANT, LOW SHEAR AND VAPOR PERMEABLE HELPING PROTECT THE SKIN FROM FRICTION AND MOISTURE
- MEETS FLAMMABILITY STANDARD CFR 1632 AND CFR 1633
- 350LB CAPACITY
- 7 YEAR LIMITED WARRANTY - FOAM, 3 YEAR WARRANTY - COVER


GRAVITY 9



- HIGH QUALITY THERAPEUTIC FOAM MATTRESS PROVIDES PRESSURE REDISTRIBUTION AND SHEAR/FRICTION REDUCTION
- DRIVE'S PREMIUM THERAPEUTIC GRAVITY FOAM MATTRESS MAXIMIZES VALUE AND COMFORT WITH MULTIPLE LAYERS OF LATEX FREE FOAM
- FULL TOP LAYER OF OPEN CELL, VISCO-ELASTIC MEMORY FOAM IMPROVES IMMERSION AND PRESSURE REDISTRIBUTION
- BOTTOM LAYER PROVIDES FULL LENGTH HORIZONTALLY SCORED ARTICULATION CUTS EXTENDING THE DURABILITY AND LIFE OF THE MATTRESS
- HIGH DENSITY FOAM PERIMETERS PROVIDE SOLID EDGE SUPPORT AND FACILITATE SAFE PATIENT TRANSFERS
- AVAILABLE WITH OR WITHOUT RAISED SIDE RAILS
- HEEL SECTION IS SLOPED WITH CHANNEL CUT FOAM CENTER OFFLOADING PRESSURE FROM VULNERABLE HEELS
- REMOVABLE MULTI-STRETCH COVER IS FLUID RESISTANT, LOW SHEAR AND VAPOR PERMEABLE HELPING PROTECT THE SKIN FROM FRICTION AND MOISTURE
- MEETS FLAMMABILITY STANDARD CFR 1632 AND CFR 1633
- 450LB CAPACITY
- 36" W -15 YEARS LIMITED WARRANTY - FOAM, 3 YEAR WARRANTY - COVER


SPAN AMERICA

GEO-MATTRESS PRO




- GEO-MATT NON-SHEARING SURFACE CREATES INDIVIDUALLY ARTICULATING CELLS; RING OF AIR CHANNELS DISSIPATE HEAT AND MOISTURE
- AFFORDABILITY AND EFFECTIVENESS SINGLE LAYER, ZONED CONSTRUCTION DELIVERS EXCELLENT VALUE
- HEEL SLOPE REDUCES PRESSURE ON HEELS
- 5 YEAR, NON-PRORATED WARRANTY
- WEIGHT CAP 300LBS

GEO-MATTRESS PLUS



- GEO-MATT NON-SHEARING SURFACE CREATES INDIVIDUALLY ARTICULATING CELLS; RING OF AIR CHANNELS DISSIPATE HEAT AND MOISTURE
- DUAL-LAYER PROGRESS RESISTANCE FOAM BLENDS COMFORT AND CLINICAL EFFECTIVENESS.
- HEEL SLOPE REDUCES PRESSURE ON HEELS
- 6 YEAR, NON-PRORATED WARRANTY
- WEIGHT CAP 400LBS

GEO-MATTRESS MAX



- GEO-MATT NON-SHEARING SURFACE CREATES INDIVIDUALLY ARTICULATING CELLS; RING OF AIR CHANNELS DISSIPATE HEAT AND MOISTURE
- THREE TIER ZONED DESIGN INCLUDING A “MEMORY FOAM” FOOT SECTION THAT WILL CRADLE AND PROTECT THE FOOT
- HEEL SLOPE REDUCES PRESSURE ON HEELS
- FIRM PERIMETER BOLSTERS TO HELP PREVENT FALLS
- FLUID-REPELLENT, FLAME-RESISTANT TOP FABRIC. ANTI-MICROBIAL AND ANTI-FUNGAL. NEOPRENE/BUTYL COATED UNDERSIDE YIELDS EXTREMELY LOW MOISTURE VAPOR TRANSMISSION RATE
- 7 YEAR, NON-PRORATED WARRANTY
- WEIGHT CAP 400LBS

IMMERSUS

IMMERSUS

THE IMMERSUS® MATTRESS IS DESIGNED SPECIFICALLY FOR HIGH ACUITY PATIENTS, ELDERLY PATIENTS AND END OF LIFE PATIENTS WHO EITHER HAVE OR ARE AT RISK OF PRESSURE INJURIES AND FALLS.

DESIGNED BY CLINICIANS AND ENGINEERS, IT IS AN ERGONOMIC OFFLOADING DESIGN, WHICH REDISTRIBUTES STATIC LOAD AWAY FROM THE BONY PROMINENCES, WHILE IMMERSING THE BODY TO CREATE VERY LOW TISSUE INTERFACE PRESSURES THAT ALLOW ADEQUATE BLOOD FLOW. THREE DISTINCT SECTIONS, AS WELL AS A PATENTED “T” ZONE, AND FIRM STABILITY AND TRANSFER EDGES HELP THE IMMERSUS® MATTRESS TO PROVIDE PROTECTION FROM WOUNDS AND FALLS. THE PRODUCT IS CLINICALLY VALIDATED VIA A MULTI-PATIENT CLINICAL OUTCOME STUDY, PUBLISHED IN A PEER REVIEWED SCIENTIFIC JOURNAL.

THE STUDY SHOWED THAT PATIENTS WERE SAFER, MORE COMFORTABLE AND DID NOT FALL OR DEVELOP PRESSURE INJURIES WHILE USING THE IMMERSUS® MATTRESS. IT IS AVAILABLE IN MULTIPLE SIZES AND WEIGHT BEARING CAPACITIES FROM 400 LB. UP TO 800 LB. TO SUIT YOUR NEEDS.

- 36" UNIT 400LB WEIGHT CAPACITY
- WARRANTY SEVEN (7) YEARS PRO-RATED - MATTRESS, 1 YEAR - COVER

AIRMERSUS

AIRMERSUS® MATTRESS IS A NON-POWERED SELF ADJUSTING IMMERSION SURFACE WITH OPTIONAL ALTERNATING PRESSURE (APM) THERAPY. AIRMERSUS MAXIMIZES BODY WEIGHT DISTRIBUTION AND MINIMIZES TISSUE INTERFACE BY AUTOMATICALLY ADJUSTING INTERNAL AIR PRESSURE IN REACTION TO PATIENT BODY WEIGHT AND MOVEMENT. THIS SELF ADJUSTING AIR-FOAM MATTRESS CAN PROVIDE HIGH SPECIFICATION PERFORMANCE, COMFORT, POSTURAL SUPPORT, PRESSURE RELIEF, AND FALL PREVENTION FOR EXTENDED PERIODS. THE FOOT SECTION IS UNIQUELY DESIGNED AND ANGLED TO FLOAT THE HEEL FOR ERGONOMIC OFFLOADING. FIRM SAFETY BOLSTERS HELP PROMOTE SAFER TRANSFERS AND CAN ALLOW GREATER STANDING BALANCE WHEN STANDING UP UPON BED EXIT. THE WATERPROOF TPU COATED 4 WAY STRETCH-KNIT FABRIC PREVENTS FRICTION AND SHEAR. THE MATTRESS IS CONVERTIBLE FROM SELF-ADJUSTING IMMERSION MODE TO APM MODE EASILY, BY SIMPLY CONNECTING THE AIRMERSUS POWER UNIT TO THE MATTRESS FOR CYCLED ALTERNATING PRESSURE THERAPY.

- 500 LB WEIGHT CAPACITY
- GROUP II HCPCS CODE: E0277
- WARRANTY SEVEN (7) YEAR PRO-RATED, 1 YEAR - COVER

DRIVE MEDICAL


BALANCE AIRE



- VERSATILE REACTIVE MATTRESS REPLACEMENT SYSTEM WITH SELF ADJUSTING AIR/FOAM CELLS PROVIDES OUTSTANDING PRESSURE REDISTRIBUTION AND SHEAR/FRICTION REDUCTION
- DESIGNED TO PREVENT, TREAT AND HEAL PRESSURE ULCERS IN THE HOME OR LONG TERM CARE SETTING
- ADD AN ALTERNATING PRESSURE PUMP AND THE BALANCED AIRE EASILY CONVERTS TO A DYNAMIC POWERED SYSTEM (14005E OR BA9600-PUMP)
- 2.5" HYBRID VISCO FOAM TOP LAYER PROVIDES IMMERSION, PREMIUM COMFORT AND HEAT DISSIPATION
- HIGH DENSITY FOAM PERIMETER PROVIDES FIRM EDGE SUPPORT AND FACILITATES SAFE PATIENT TRANSFERS
- HEEL SLOPE REDISTRIBUTES PRESSURE AWAY FROM VULNERABLE HEELS
- SELF-ADJUSTMENT CAN BE OPEN CELL OR CLOSED CELL TO MEET INDIVIDUAL NEEDS
- SELF-ADJUSTING AIR CELLS RECOGNIZE BODY WEIGHT AND PRESSURE AND ADJUST TO REDUCE INTERFACE PRESSURE AND IMPROVE PATIENT COMFORT
- EIGHT NON-CIRCULAR CYLINDERS PREVENT "ROLLING" OR "GAPPING"
- REMOVABLE 4 WAY STRETCH PU COVER IS FLUID RESISTANT, LOW SHEAR AND VAPOR PERMEABLE HELPING PROTECT THE SKIN FROM FRICTION AND MOISTURE
- ARRIVES PATIENT READY EASY TO DELIVER, SET UP AND TRANSPORT
- FOAM AND COVER ARE ANTIMICROBIAL, ANTIFUNGAL, AND LATEX FREE
- MEETS FLAMMABILITY STANDARDS CFR1632 AND CRF1633
- 500LB WEIGHT CAPACITY
- WARRANTY 5 YEAR LIMITED MATTRESS & 1 YEAR CONTROL UNIT



Heel Slope




5 MINDS MOBILITY

ATLAS MATTRESS

THE ATLAS COMFORTZONE ETM IS A NON-POWERED, SELF-ADJUSTING MATTRESS THAT UTILIZES EQUALIZATION TECHNOLOGY TO PROVIDE MAXIMUM PRESSURE REDISTRIBUTION FOR THE PREVENTION AND TREATMENT OF PRESSURE INJURIES.

PRODUCT FEATURES

- INTERCONNECTED AIR CELLS AND PRESSURE VALVES
- TEN ZONES FOR ADVANCE PRESSURE REDISTRIBUTION
- COOL-CLIMATE VISCO GEL FOAM TOP LAYER FOR IMMERSION AND HEAT DISSIPATION
- SLOPED LOWER SECTION FOR HEEL PRESSURE TRANSFER
- FOUR WAY STRETCH OR NYLON TAFFETA COVERS PROVIDE LOW FRICTION SURFACES
- MOISTURE PROOF BARRIER COVERS
- EASY TO CLEAN
- CONVERTIBLE TO A POWERED AIR MATTRESS
- 500LBS. MAX
- WARRANTY: 5 YEARS
- MEETS FEDERAL FLAMMABILITY STANDARDS



COMPASS HEALTHCARE


MERIDIAN SATINAIR

- INCLUDES MATTRESS, COVER AND PUMP
- 3-INCH FOAM BASE PREVENTS "BOTTOMING OUT" IN THE EVENT OF A POWER OUTAGE
- PILLOW FUNCTION MAINTAINS THE AIR IN CELLS AT THE HEAD FOR PATIENT COMFORT
- AIR CELLS CAN BE EASILY REMOVED AND REPLACED
- CPR QUICK DEFLATE AT HEAD OF MATTRESS
- QUILTED NYLON ZIPPER COVER IS LOW SHEAR, FLUID-RESISTANT, AND VAPOR PERMEABLE
- 8 LITER-PER-MINUTE PUMP IN AN EASY-TO-USE DESIGN
- TWO MODES OF THERAPY - STATIC OR ALTERNATING
- VARIABLE PRESSURE SETTING FOR MAXIMUM COMFORT
- SUPPORT PATIENTS UP TO 350 LBS.
- HCPCS CODE: E0277
- ONE YEAR WARRANTY ON MATTRESS AND PUMP



THE UNITED MATTRESS


THE UNITED AIR 2



THE AIR 2 MATTRESS WILL ACCOMPANY A TRADITIONAL SIZE HOSPITAL BED FOR THE PATIENT'S CARE. THERE IS A SMALL INDENTION NEAR THE MIDDLE SECTION TO ALLOW FOR THE HEAD OF THE MATTRESS AND BED TO BE RAISED EFFORTLESSLY. THERE ARE 3 VALVES FOR THE HEAD, MIDDLE AND FOOT SECTION TO ADJUST THE PRESSURE OF THE MATTRESS FOR THE COMFORT OF THE PATIENT.

- COMBINATION OF MEMORY FOAM AND AIR CELLS ALLOW FOR PATIENT'S WEIGHT TO BE EQUALLY DISTRIBUTED
- NO ELECTRICITY OR ELECTRIC PUMP NEEDED
- STAYS BELOW 32 MM OF HG
- CLINICALLY PROVEN TO PREVENT AND HEAL WOUNDS
- ABLE TO CONTROL THE HEAD, MIDDLE AND FOOT SECTION INDEPENDENTLY OF ONE ANOTHER
- NO NEED FOR WEDGES OR HEEL BOOTS
- STURDY PERIMETER ON ALL MODELS TO ALLOW FOR EASY PATIENT TRANSFER AND MOVEMENT.
- 500LB WEIGHT CAPACITY
- 3 YEAR WARRANTY

THE UNITED



THE UNITED MATTRESS WILL ACCOMPANY A TRADITIONAL SIZE HOSPITAL BED FOR THE PATIENT'S CARE. THERE IS A SMALL INDENTION NEAR THE MIDDLE SECTION TO ALLOW FOR THE HEAD OF THE MATTRESS AND BED TO BE RAISED EFFORTLESSLY. THERE ARE 3 VALVES FOR THE HEAD, MIDDLE, AND FOOT SECTIONS TO ADJUST THE PRESSURE OF THE MATTRESS FOR THE COMFORT OF THE PATIENT.

- NO ELECTRICITY OR ELECTRIC PUMP NEEDED
- STAYS BELOW 32 MM OF HG
- CLINICALLY PROVEN TO HEAL STAGE 1-4 PRESSURE INJURIES
- ABLE TO CONTROL THE HEAD, MIDDLE, AND FOOT SECTION INDEPENDENTLY OF ONE ANOTHER
- NO NEED FOR WEDGES OR HEEL BOOTS
- STURDY PERIMETER ON ALL MODELS TO ALLOW FOR EASY PATIENT TRANSFER AND MOVEMENT
- 500LB WEIGHT CAPACITY
- 3 YEAR WARRANTY

PRIUS HEALTHCARE

RYTHM MULTI MATTRESS



- 3-1 ALTERNATION AND STATIC
- LOW AIR LOSS THERAPY
- PULSATION THERAPY
- HAPPY HEEL - DIAL SOFTNESS CONTROL AT FOOT SECTION
- AUTO FIRM PROVIDES IMMEDIATE FIRM SURFACE
- HIGH VAPOR PERMEABLE AND QUILTED NYLON COVER
- 2" CONVOLUTED FOAM BASE
- CELL IN CELL DESIGN PROVIDES ADDITION PROTECTION FOR UPPER TORSO AND SACRUM DURING POWER OUTAGE
- INTEGRATED GLIDE SHEET TO BASE COVER FOR EASY TRANSFERRING
- VISUAL AND AUDIO ALARM FOR LOW PRESSURE AND POWER FAILURE WITH ALARM MUTE FUNCTION
- KEYPAD LOCK OUT FUNCTION
- 10 ELECTRONIC ADJUSTABLE COMFORT SETTINGS
- MODULARIZED DESIGN FOR AIR MATTRESS
- INTEGRATED POWER CABLE RETAINER
- 600LB WEIGHT CAPACITY
- QUICK CPR DEFLATION WITHIN 20 SECONDS
- MULTIPLE STAGE 1, 2, 3 AND 4 PRESSURE ULCER

RYTHM TURN MATTRESS



- 20 DEGREE OR 40 DEGREE LATERAL ROTATION THERAPY IN LEFT TURN, RIGHT TURN OR FULL TURN OPTIONS
- STATIC MODE WITH TRUE LOW AIR LOSS THERAPY PROVIDES EXTRA COMFORT FOR MOISTURE AND TEMPERATURE CONTROL
- RAISED SIDE AIR RAILS FOR PATIENT SAFETY
- THE RHYTHM TURN REPLACEMENT MATTRESS CAN ACCOMMODATE PATIENT WEIGHTS UP TO 850 LBS
- HIGH VAPOR PERMEABLE AND QUILTED NYLON COVER
- LATERAL ROTATION CYCLE TIMES FROM 3-95 MINUTES
- AUTO FIRM/PATIENT CARE CONTROL
- 10 ADJUSTABLE COMFORT SETTINGS PROVIDES DIFFERENT LEVELS OF COMFORT DEPENDING ON THE PATIENT'S THERAPY REQUIRED