

# BED FRAME PURCHASE CATALOG






CUSTOMER SERVICE 888.233.7677


## DRIVE MEDICAL

## PRIMECARE 503 BED



- Best in class height range 7.8" to 30"
- Integrated 76" and 80" length extension
- Eight (8) Function Handheld Pendant Control includes Auto Contour
- 3 DC Motors keeps bed level with true vertical lift
- Four sealed bearings for smooth/quiet lifting
- Eight 3" Heavy Duty casters roll at any height, 4 locking, 2 caster guide locks
- Fixed wall bumper
- Options:
- Assist Rails, Assist Bars
- Bed ends, two styles and three wood grain laminate colors





- 7" to 30" height range
- Optional integrated width adjusts to 39" 42"
- Integrated 76", 80" and 84" sleep surface length
- Two way Red/Green color coded floor lock system
- Eight (8) Function Handheld Pendant Control
- Auto Contour
- 4 DC Motors Synchronized Hi/Lo control system keeps bed level
- Four sealed bearings secured in "G" track
- IV pole holders
- Extended Heel Lift
- Eight 3" Heavy Duty casters roll at any height
- · Fixed adjustable wall bumper

#### **IMECARE 903 BED**

- 600 lbs. weight capacity\*
- 7" super low height can help minimize falls while 30" high working height can facilitate
- Integrated width with push button expansion from 36"-39"-42" provides extra measure of comfort and dignity 80", 84" and 88" sleep surface length helps comfortably accommodate the tallest residents
- 10 function Backlit Hand Pendant includes Auto Contour, Cardiac Comfort Chair and under bed night light provides an added measure of security at night
- Synchronized Hi/Lo control system keeps bed level for resident comfort and positioning
- Welded Steel construction, slat support deck is durable and easy to clean
- Roll at any height convenience with 3" heavy-duty dual footprint casters plus steer control facilitate easy maneuverability
- Color coded, dual pedal floor lock system keeps bed securely in place when engaged
- Adjustable wall bumper helps protect walls and bed from damage
- Standard features include: adj. mattress retainers, heel lift, IV pole holders
- Optional: bed ends (two styles and three wood grain laminate colors), Assist bars, rails, deluxe assist rails, trapeze, embedded staff control, battery backup, transporter
- Trendelenburg/Reverse Trendelenburg capable with staff control option
- · Warranty: 15 yr. on frame, lifetime on welds, 5 yr. on electronics


















PAGE 2

## SPAN AMERICA

#### REXX BED



- · Precision welded orthopedic grid decks
- · Durable, anti-microbial polyester powder-coating of metal components
- · Smooth deck design for easier cleaning
- · Mobility at any height
- · Vascular foot rest with easy ratchet operation
- · Beds move vertically with virtually no horizontal motion
- · Arched legs allow wide stance for clearance and stability
- · Honeycomb bumpers protect walls
- · Pendant bed controller

Optional features:

· 42" Tool-less bed expanders

Height Floor to Mattress Support	7-7/8" – 27"
Deck Angles - Back Elevation	0 – 70°
Deck Angles - Knee Elevation	0 – 20°
Bed Length - Overall Length	84-1/2" / 88-1/2"
Bed Length - Sleep Surface	76" / 80"
Bed Width - Sleep Surface	35"
Weight of Bed	170 lbs / 78 kg
Safe Working Load	450 lbs / 204 kg
Warranty	Mechanical: 5 years Frame: 15 years Welds: 15 years






- · Precision welded orthopedic grid decks
- $\cdot$  Durable, anti-microbial polyester powder-coating of metal components
- · Smooth deck design for easier cleaning
- · Mobility at any height
- · Vascular foot rest with easy ratchet operation
- $\cdot$  Beds move vertically with virtually no horizontal motion
- · Arched legs allow wide stance for clearance and stability
- · Honeycomb bumpers protect walls
- · Pendant bed controller

Optional features:

· 42" Tool-less bed expanders

Height Floor to Mattress Support	7-7/8" – 30"
Deck Angles - Back Elevation	0 – 70°
Deck Angles - Knee Elevation	0 – 30°
Bed Length - Overall Length	84-3/4" / 88-3/4"
Bed Length - Sleep Surface	76" / 80"
Bed Width - Sleep Surface	35"
Weight of Bed (without accessories)	160 lbs / 73 kg
Safe Working Load	500 lbs / 227 kg
Warranty	Mechanical: 5 years Frame: 15 years Welds: 15 years

#### ADVANTAGE READYWIDE BED



- Durable, anti-microbial polyester powder-coating of metal components
- · Smooth deck design for easier cleaning
- · Mobility at any height
- · Foot end controller with lockout
- · Vascular foot rest with easy ratchet operation
- · Beds move vertically with virtually no horizontal motion

#### Optional features:

- · Advanced mobility as well as floor level locking
- · Molded half-head assist rail
- $\cdot$  Dollies for streamlined bed logistics and maintenance
- · Stylish head and foot board options
- · Bed extenders

Height Floor to Mattress Support	7-7/8" – 31" / 200 mm - 787mm
Deck Angles - Back Elevation	0 – 70°
Deck Angles - Knee Elevation	0 – 30°
Bed Length - Overall Length	82", 86", 90" / 2083 mm, 2184 mm, 2286 mm
Bed Length - Sleep Surface	76", 80", 84" / 1930 mm, 2032 mm, 2134 mm
Bed Width - Sleep Surface	35", 39", 42" / 889 mm, 991 mm, 1067 mm
Weight of Bed (without accessories)	259 lbs / 118 kg
Safe Working Load	500 lbs / 227 kg
Warranty	Mechanical: 5 years Frame: 10 years









### **GRAHAM FIELD**





- · Mobility and safety at a great price
- SilverSolutions  $\!\!\!\!\!\!^\mathsf{TM}$  antimicrobial surface protection kills 99.9% of odor- and staincausing bacteria
- Robust base is designed for support, yet provides sufficient underbed clearance for overbed tables and lifts
- Hand control pendant is shock resistant, waterproof and durable; holster conveniently secures to bedrails and assist devices for easy access
- One-step red/green pedal lock maximizes security
- Maximum Back Angle: 70degree
- Maximum Knee Angle: 30degree
- Height Range: 9.9"-24.4"
- Weight Capacity: 450lbs.
- Warranty: Frame: 10 years, Electronics: 2 Years, Bed Mounted Accessories: 2 Years

#### THE ZENITH 7200 SERIES



- Certified transport device passes threshold clearance at ALL heights ideal for evacuation
- Silver Solutions powder-coating provides antimicrobial surface protection and deters the growth of odor-causing bacteria
- No holes on top surface of tubes that could harbor fluids/bacteria
- Grounded bed with right-angle hospital grade plug for safety
- Adjustable Wallsaver protects the wall with smallest footprint
- Patented Hi-Lo mechanism adds life to the motors
- Sturdy, no-sag, grid sleep surface with cross braces
- Height Range: 7.95"-30"
- Weight Capacity: 550lbs.
- Warranty: Hand Control: 3 Years, Mainframe: 15 Years, Motors/Control Box: 5 Years

#### MATRIX 6200 SERIES



- Certified transport device passes threshold clearance at ALL heights ideal for evacuation
- Silver Solutions powder-coating provides antimicrobial surface protection and deters the growth of odor-causing bacteria
- · No holes on top surface of tubes that could harbor fluids/bacteria
- Grounded bed with right-angle hospital grade plug for safety
- · Adjustable Wallsaver protects the wall with smallest footprint
- Patented Hi-Lo mechanism adds life to the motors
- Sturdy, no-sag, grid sleep surface with cross braces
- Bed provides 360? mobility for cleaning, etc.
- Height Range: 8.95"-27"
- Weight Capacity: 450lbs.
- · Locking Casters: Yes
- Length Range: 80"-84"
- Warranty: Hand Control: 3 Years, Mainframe: 15 Years, Motors/Control Box: 5 Years











## **ACCORA FLOORBED**



#### THE FLOORBED 1

Reduce the force of impact. FloorBed 1 is only 2.8" high at the lowest setting. For some residents, this is enough to prevent them from falling.



For high-risk residents, you can also add a safety mat on one or both sides of the bed. Accora safety mats are the same height as the bed with a 6" mattress, so there's no change of height if a resident rolls off the bed onto the mat – and no reportable fall.

Easy height and position adjustment

- Backrest
- Legrest
- Trendelenburg 15 degrees
- Anti-Trendelenburg 15 degrees

The handset for the nursing staff is flexible enough to be used from either side of the bed.



#### **Product Specs:**

- Overall dimensions: Standard: 36.4" width x 90.4" length
- Safe working load: 408 lbs
- Maximum patient weight: 330 lbs
- Platform height: 2.8" 25.6"




#### THE FLOORBED 42"



- · Safety Mat available to assist with fall prevention
- Bariatric Floor Bed: 42" x 80"
- Extended Configuration available on 42"x 84"
- Max Wt. Capacity: 496 lbs.
- Lift Range: 3.1" 25.6"
- Warranty: Frame: 10 years, Electric/parts: 2 years





Tailor the Empresa to the needs of each individual resident:

- Adjust height from floor-level at 3.9" to full nursing height at 31.5"
- Add a 42" width extension for bariatric residents
- Extend bed length from 80" to 84"

One-touch pre-programmed care and comfort positions that can help reduce pressure risk



- Backrest with BodyMove™
- · Legrest
- Trendelenburg 15 degrees
- Anti-Trendelenburg 15 degrees



- Frame: 12 years
- Electric/parts: 4 years







## **MEDMIZER**

### RETRACTABED



- Versatile, portable, and easy to store, Retractabed is an ideal addition to any hospital or facility.
- Deck Height (low position): 9"
- Deck Height (high position): 25"
- Sleeping Surface: 35", 39", 42" x 80"L
- Maximum Safe Working Load: 500 lbs (600lb option)
- Bed Length (retracted 80" length deck): 71"
- Bed Length (extended 80" length deck): 85"
- Optional Accessories: NightLight, Trapeze, 2 or 4 rails, Battery Backup, Staff Controls, SureLock, 4"/8" Bed Extender, Floor Bumper Guard




## EX 8000

#### The Ultimate in Comfort and Flexibility

Ideal for virtually any patient and easy to assemble, reassemble, and transport, this popular model keeps patients and caregivers safe and comfortable.

- ComfortWide ™ bed expands up to 48" wide at the touch of a button
- Added comfort and treatment with one button Cardiac Chair, Trendelenburg, and Reverse Trendelenburg positioning
- Clinical-Contour® feature reduces skin shear and repositioning of residents
- · Low Bed Height: 9" low height helps reduce fall risk
- Versatile frame can be customized to any patient or user need
- Bed can be un-assembled in minutes and re-assembled to transport in tight spaces
- · Optional Scale to help ensure accurate weight



- Deck Height (high position): 25" (optional 30")
- Sleeping Surface: 35", 39", 42", 48"W x 80"L
- Maximum Safe Working Load: 800 lbs
- Optional Accessories: NightLight, Scale, Trapeze, 2 or 4 rails, Battery Backup, 4" or 8" Bed Extender, Staff Controls









Cherry (6358)

**English Oak** 

Light Oak

Mahogany



## **MEDACURE**





- Expandable integrated width from 36" 42" 48"
- Expandable integrated length from 80" to 88"
- Tool-less Design Width & Length expand & retract without tools
- 5 Function electric bed Hi/Lo, Head, Foot, Trendelenburg and Auto contour function
- 10 Function hand pendant with universal symbols
- Heavy duty rectangle tube bed deck with reinforced steel frame
- 8 3" Durable Casters: 4 Swivel and 4 Locking Casters
- IV pole mount and Trapeze bracket mount on 2 head corners
- LX-BARI-9 Ultra low bariatric bed provides a safe sleeping surface for fall patients
- Expandable headboard from 36" 42" 48"
- Retractable bumper guards on head end protect walls from mars and scratches
- Bed boards and OBar assist bars included
- Boards come in Mahogany, Amber Cherry and Maple

## TC ULTRA LOW BED

LOW POSITION OF ONLY 7" PROVIDES A SAFE SLEEPING SURFACE FOR PATIENTS AT RISK OF FALLING OUT OF BED

- 6 Function hand pendant with universal symbols
- IV pole socket on bed corners
- Durable rectangle tube bed deck
- Linak ultra quiet & dependable motors
- MATTRESS DECK DIMENSIONS: 80" 88" L x 36" W
- **UNDERBED CLEARANCE: 5"**
- Expandable length from 80" 88"
- WEIGHT CAPACITY: 450 Lbs.





Mahogany Amber Cherry



Light Oak



